

Catalogue Numbering System is used for composition rules of TRANSFEROIL product model. Not suitable for specific product part number selection. No random combinations are allowed.



ACCESSORIES - CATALOGUE NUMBERING SYSTEM

Catalogue Numbering System is used for composition rules of TRANSFEROIL product model. Not suitable for specific product part number selection. No random combinations are allowed.

D A E A A 0 4 0 0 0 4 0 1						
DA	A	AA	04	00	04	01
PRODUCT FAMILY	PSI	TYPE	SIZE 1	VERSION LENGTH	SIZE 2	MATERIAL
DA Accessories	C 10,000 psi	AA Elbow MP	02 1/8"	AA 2" Nipple	02 1/8"	01 Stainless Steel 316/316L
	D 15,000 psi	AB Tee MP	04 1/4"	AB 2.75" Nipple	04 1/4"	05 Stainless Steel AISI/ASTM 316
	E 20,000 psi	AC Crosses MP	06 3/8"	AC 3" Nipple	06 3/8"	06 Stainless Steel AISI/ASTM 316L
	G 40,000 psi	AD Union Coupling MP	08 1/2"	AD 4" Nipple	08 1/2"	07 Stainless Steel AISI/ASTM 316Ti
	H 60,000 psi	AE Glands MP	09 9/16"	AE 6" Nipple	09 9/16"	16 Duplex A182 F51
		AF Collars MP	12 3/4"	AF 8" Nipple	12 3/4"	17 Superduplex A182 F53
		AG Soft check valves MP	16 1"	AG 10" Nipple	16 1"	18 Superduplex A182 F55
		AH Ball check valves MP		AH 12" Nipple		20 Monel ASTM A370 Monel 400
		AI Bulk-Head Coupling MP				21 Monel K500
		AJ Cap MP				22 Hastelloy C276
		AK Plug MP				23 Inconel 625
		AL Antivibration-Gland MP				24 Incoloy 825
		AM MP Nipples				
		BA Elbow HP				
		BB Tee HP				
		BC Crosses HP				
		BD Union Coupling HP				
		BE Glands HP				
		BF Collars HP				
		BG Soft check valves HP				
		BH Ball check valves HP				
		BI Bulk-Head Coupling HP				
		BJ Cap HP				
		BK Plug HP				
		BL Antivibration-Gland HP				
		BM HP Nipples				
		NA Elbow NPT-F				
		NB Tee NPT-F				
		NC Crosses NPT-F				
		ND Union Coupling NPT-F				
		NG Soft check valves NPT-F				
		NH Ball check valves NPT-F				
		NI Bulk-Head Coupling NPT-F				
		NJ Cap NPT-F				
		NK Plug NPT-F				

TUBING - CATALOGUE NUMBERING SYSTEM

Catalogue Numbering System is used for composition rules of TRANSFEROIL product model. Not suitable for specific product part number selection. No random combinations are allowed.

